

- 1 -

LICENSE AND PRIVILEGE MANAGEMENT METHOD  
IN DIGITAL CONTENTS SALE

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a system for collecting or purchasing unnecessary digital contents and licenses thereof from users.

Description of the Related Art

With the development of communications on the Internet, portable information terminals, etc., distribution and sale of digital contents using these terminals and networks have been activated. A technique for performing distribution and sale of digital contents has been described in JP-A-11-224288.

SUMMARY OF THE INVENTION

In digital contents distributing business, there was however a problem that it was difficult to purchase or collect contents from users because the contents were not delivered through a general physical distribution system. Therefore, a method of collecting unnecessary digital contents from users to thereby make it easier for the users to purchase new digital contents has been demanded.

An object of the invention is to provide a

digital contents management method in which unnecessary digital contents can be returned easily.

To achieve the foregoing object, in accordance with the invention, when a user issues a  
5 license return request to return a license granted for digital contents already purchased by the user, the license corresponding to the license return request is deleted; the user corresponding to the deleted license is specified; and management is made so that the  
10 specified user is associated with contents of the deleted license or with a privilege granted in accordance with the license return request.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a diagram showing the system  
15 configuration of a digital contents license and incentive point management system according to an embodiment of the invention;

Fig. 2 is a diagram showing the configuration of a digital contents management device 110;

20 Fig. 3 is a diagram showing the configuration of a license management device 120;

Fig. 4 is a diagram showing the configuration of a digital contents storage device 130;

Fig. 5 is a diagram showing the configuration  
25 of a digital contents synchronization device 140;

Fig. 6 is a diagram showing the configuration of a terminal unit 150;

Fig. 7 is a flow chart showing a processing procedure in a contents setup method;

Fig. 8 is a flow chart showing a processing procedure in a contents collection/purchase method;

5 Fig. 9 is a flow chart showing a processing procedure in an individual contents download method;

Fig. 10 is a flow chart showing a processing procedure in a batch contents download method;

Fig. 11 is a view showing a user-based  
10 license transfer management table for managing the number of licenses collected from each user, the number of licenses purchased from each user and the number of incentive points given to each user;

Fig. 12 is a view showing a transaction  
15 management table for managing processing concerning sale, collection and purchase of contents; and

Fig. 13 is a view showing a merchandise management table for indicating licenses and selling prices of contents.

## 20 DETAILED DESCRIPTION OF THE INVENTION

A preferred embodiment of the invention will be described below in detail with reference to the drawings but the invention is not limited thereto.

A system for managing licenses of digital  
25 contents and privileges (e.g., points that can be used for purchase of digital contents) corresponding to return of licenses in digital contents sale where the

licenses of the digital contents can be returned  
(specifically, collected or purchased) from users will  
be described as an embodiment of the invention.  
Digital contents may be hereinafter also referred to as  
5 contents.

Fig. 1 is a diagram showing the schematic  
configuration of a digital contents license and  
incentive point management system according to this  
embodiment. As shown in Fig. 1, this system includes a  
10 contents management device 110, a license management  
device 120, a contents storage device 130, a contents  
synchronization device 140, and terminal units 150.

Although the license and incentive point  
management system includes the contents synchronization  
15 device 140 provided for the sake of user's convenience,  
each user can select contents one by one and download  
the contents one by one to the user's terminal unit not  
via the contents synchronization device 140. On the  
other hand, the user can make batch contents download  
20 via the contents synchronization device 140.

The contents management device 110 is  
provided for sale, collection and purchase of contents.  
The contents management device 110 manages contents  
received in trust from a contents holder or the like.  
25 The contents management device 110 performs a process  
for granting and regenerating licenses. Incidentally,  
license management is performed by the license  
management device 120.

The license management device 120 manages licenses generated when contents managed by the contents management device 110 are sold to users. Respective processing portions in the license management device 120 may be placed in the contents management device 110 and the contents storage device 130 for the sake of reduction in cost. The separate provision of the license management device 120 permits the license management device 120 to be used for cooperative management of licenses on the basis of business tie-up when a contents sale site 100 having the contents management device 110 and a contents archive site 160 having the contents storage device 130 are business sites independent of each other.

15           The contents storage device 130 stores contents purchased by users and stores contents requested to be downloaded by users.

          The contents synchronization device 140 collects contents from the contents management device 110 and performs batch contents download to a terminal unit 150 when a user wants to download selected contents by batch processing. On this occasion, the contents synchronization device 140 cooperates with the terminal unit 150 to monitor whether all the contents selected by the user are downloaded or not.

          The terminal unit 150 (user terminal) is a terminal used by each user. Examples of the terminal unit 150 include all apparatuses each of which can

serve as a terminal unit, such as a personal computer (PC), a personal digital assistant (PDA), a tablet PC, etc. The terminal unit 150 can be also used in an off-line mode.

5                Fig. 2 is a diagram showing the configuration of the contents management device 110 depicted in Fig. 1. As shown in Fig. 2, the contents management device 110 has a CPU 210, a memory 220, a data recording device 230, an input device 240 (such as a keyboard), a  
10 display 250 as a display device, and a communication adapter 260.

              The CPU 210 is a controller for controlling the operation of the contents management device 110 as a whole. The memory 220 is a recoding device loaded  
15 with data and various kinds of processing programs for controlling the operation of the contents management device 110. The data recording device 230 is a recording device for storing the various kinds of processing programs and various kinds of digital  
20 contents. The input device 240 (such as a keyboard) is an input device for inputting operation instructions or the like to the contents management device 110. The communication adapter 260 is an adapter for communication with other devices.

25                The memory 220 in the contents management device 110 has a contents management processing portion 221, a license management processing portion 222, a user management processing portion 223, a contents

account processing portion 224, and a contents setup processing portion 225.

The contents management processing portion 221 performs sale processing at the time of selling contents to a user, collection processing at the time of user's issuing a request to collect contents from the user, and purchase processing at the time of user's issuing a request to purchase contents from the user and stores processing results in a contents management DB 231. The license management processing portion 222 performs processing for granting licenses for contents respectively and processing for deleting a license from a user's contents list at the time of collection/purchase of the license. The license management processing portion 222 stores processing results in a license management DB 232.

The user management processing portion 223 manages incentive points etc. as well as information concerning sale to users, and collection and purchase from users, and exchanges data with a user management DB 233. The contents account processing portion 224 performs account processing at the time of sale of contents and is linked to an external settlement system. The contents setup processing portion 225 performs processing for setting up contents in the contents storage device 130 so that contents purchased by the user can be downloaded at any time.

The contents management DB 231 in the data

recording device 230 manages information concerning sale, collection and purchase of contents processed by the contents management processing portion 221. The license management DB 232 manages contents license  
5 information processed by the license management processing portion 222. The user management DB 233 manages information concerning contents sale for each individual user (as a history of sale to the user and purchase from the user) processed by the user  
10 management processing portion 223.

A program for making the contents management device 110 function as each of the contents management processing portion 221, the license management processing portion 222, the user management processing  
15 portion 223, the contents account processing portion 224 and the contents setup processing portion 225 is recorded in a recording medium such as a CD-ROM, stored in the recording device such as a magnetic disk and then loaded into the memory so that the program can be  
20 executed. Incidentally, the medium used for recording the program may be another recording medium such as a DVD or a DAT than the CD-ROM.

Fig. 3 is a diagram showing the configuration of the license management device 120 depicted in Fig.  
25 1. As shown in Fig. 3, the license management device 120 has a CPU 310, a memory 320, a data recording device 330, an input device 340 such as a keyboard, a display 350, and a communication adapter 360.



The CPU 310 is a controller for controlling the operation of the license management device 120 as a whole. The memory 320 is a recording device loaded with data and various kinds of processing programs for  
5 controlling the operation of the license management device 120. The data recording device 330 is a recording device for storing the various kinds of processing programs and various kinds of digital contents. The input device 340 is an input device for  
10 inputting operation instructions or the like to the license management device 120. The communication adapter 360 is an adapter for communication with other devices.

The memory 320 in the license management  
15 device 120 has a user-based license management processing portion 321. The user-based license management processing portion 321 manages a list of contents held by each user and licenses of the contents in a user-based license management DB 331. When the  
20 contents storage device 130 requests the user-based license management processing portion 321 to collate contents in accordance with each user, the user-based license management processing portion 321 performs processing for retrieving contents in accordance with  
25 each user from the user-based license management DB 331 and replying to the contents storage device 130 by the license result.

The user-based license management DB 331 in

the data recording device 330 manages contents license information in accordance with each user.

A program for making the license management device 120 function as the user-based license management processing portion 321 is recorded in a recording medium such as a CD-ROM, stored in the recording device such as a magnetic disk and then loaded into the memory so that the program can be executed. Incidentally, the medium used for recording the program may be another recording medium such as a DVD or a DAT than the CD-ROM.

Fig. 4 is a diagram showing the configuration of the contents storage device 130 depicted in Fig. 1. As shown in Fig. 4, the contents storage device 130 has a CPU 410, a memory 420, a data recording device 430, an input device 440 such as a keyboard, a display 450, and a communication adapter 460.

The CPU 410 is a controller for controlling the operation of the contents storage device 130 as a whole. The memory 420 is a recording device loaded with data and various kinds of processing programs for controlling the operation of the contents storage device 130. The data recording device 430 is a recording device for storing the various kinds of processing programs and various kinds of digital contents. The input device 440 is an input device for inputting operation instructions or the like to the contents storage device 130. The communication adapter

460 is an adapter for communication with other devices.

The memory 420 in the contents storage device 130 has a contents storage processing portion 421, a license management processing portion 422, a use-  
5 restricted contents generation processing portion 423, and a user management processing portion 424.

The contents storage processing portion 421 performs processing in accordance with a contents setup request or a contents deletion request given from the  
10 contents management device 110 in accordance with each user. The contents storage processing portion 421 performs processing so that contents sent from the contents management device 110 in accordance with each user are stored in a contents storage DB 431 in the  
15 data recording device 430. Similarly, license information and user information of contents sent from the contents management device 110 are managed by a license management DB 432 and a user management DB 433 respectively in the data recording device 430.

20 The license management processing portion 422 manages licenses of contents processed by the contents storage processing portion 421. The license management processing portion 422 collates licenses for the license management device 120 in accordance with each  
25 user and sends collation results to the contents storage processing portion 421.

The use-restricted contents generation processing portion 423 acquires contents held by a user

from the contents storage DB 431 and generates restricted contents with an audiovisual and playback time limit when the contents storage processing portion 421 receives a download request from the user.

5           The user management processing portion 424 manages owners (users) of contents managed in the contents storage device 130 and processes information concerning user individuals such as user customization information, user private information so that these  
10 pieces of information are managed in the user management DB 433. The user management processing portion 424 performs processing such as user authentication by using these pieces of information. The user management processing portion 424 identifies  
15 each user and contents held by the user by using the user ID of the user and the contents ID of the contents.

          The contents storage DB 431 manages contents in accordance with each user and attribute information  
20 of the contents. These pieces of information are sent to the use-restricted contents generation processing portion 423 and finally sent to the terminal unit 150 in accordance with an instruction given from the contents storage processing portion 421.

25           A program for making the contents storage device 130 function as each of the contents storage processing portion 421, the license management processing portion 422, the use-restricted contents

generation processing portion 423 and the user management processing portion 424 is recorded in a recording medium such as a CD-ROM, stored in the recording device such as a magnetic disk and then  
5 loaded into the memory so that the program can be executed. Incidentally, the medium used for recording the program may be another recording medium such as a DVD or a DAT than the CD-ROM.

Fig. 5 is a diagram showing the configuration  
10 of the contents synchronization device 140 depicted in Fig. 1. As shown in Fig. 5, the contents synchronization device 140 has a CPU 510, a memory 520, a data recording device 530, an input device 540, a display 550, and a communication adapter 560.

15 The CPU 510 is a controller for controlling the operation of the contents synchronization device 140 as a whole. The memory 520 is a recording device loaded with data and various kinds of processing programs for controlling the operation of the contents  
20 synchronization device 140. The data recording device 530 is a recording device for storing the various kinds of processing programs and various kinds of digital contents. The input device 540 is an input device for inputting operation instructions or the like to the  
25 contents synchronization device 140. The communication adapter 560 is an adapter for communication with other devices.

The memory 520 in the contents

synchronization device 140 has a contents management processing portion 521, a user management processing portion 522, and a contents synchronization processing portion 523.

5           The contents management processing portion 521 selects contents to be batch-downloaded to the terminal unit 150 from contents held by each user and acquires the contents from the contents storage device 130 to make preparations for download of the contents  
10 to the user's terminal unit 150.

          The user management processing portion 522 manages customization information such as a list of contents to be synchronized in accordance with each user and private information. The private information  
15 is stored as user management information in a user management DB 532.

          The contents synchronization processing portion 523 performs processing so that all the contents prepared by the contents management processing  
20 portion 521 are sent to the terminal unit 150 while the contents list selected by the user and managed in the contents synchronization device 140 is synchronized with a contents list managed in the terminal unit 150.

          A program for making the contents  
25 synchronization device 140 function as each of the contents management processing portion 521, the user management processing portion 522 and the contents synchronization processing portion 523 is recorded in a

recording medium such as a CD-ROM, stored in the recording device such as a magnetic disk and then loaded into the memory so that the program can be executed. Incidentally, the medium used for recording  
5 the program may be another recording medium such as a DVD or a DAT than the CD-ROM.

Fig. 6 is a diagram showing the configuration of the terminal unit 150 depicted in Fig. 1. As shown in Fig. 6, the terminal unit 150 has a CPU 610, a  
10 memory 620, a data recording medium or data recording device 630 such as a hard disk, an input device 640 such as an operation button, a display device 650 such as a display, and a communication adapter 660.

The CPU 610 is a controller for controlling  
15 the operation of the terminal unit 150 as a whole. The memory 620 is a recording device loaded with data and various kinds of processing programs for controlling the operation of the terminal unit 150. The data recording device 630 is a recording device for storing  
20 the various kinds of processing programs and various kinds of digital contents. The input device 640 is an input device for inputting operation instructions or the like to the terminal unit 150. The communication adapter 660 is an adapter for communication with other  
25 devices.

The memory 620 in the terminal unit 150 has a contents management processing portion 621, an audiovisual processing portion 622, a user management

processing portion 623, and a contents synchronization processing portion 624.

The contents management processing portion 621 acquires contents from the contents storage device 130 and stores contents license information 631 and contents body and attribute information 632 in the data recording device 630. The audiovisual processing portion 622 performs processing for displaying user management information 633 and the contents body and attribute information 632 stored in the data recording medium or device 630 of the terminal unit 150 on the display 650 and also performs processing for displaying user operation results in the terminal unit 150 such as display of a setting screen on the display 650.

The user management processing portion 623 manages customization information such as a contents display method and private information in the terminal unit 150. The private information is stored as user management information 633 in the data recording device 630. The contents synchronization processing portion 624 acquires contents from the contents synchronization device 140 by batch processing and stores the contents license information 631 and the contents body and attribute information 632 in the data recording medium or device 630.

A program for making the terminal unit 150 function as each of the contents management processing portion 621, the audiovisual processing portion 622,



the user management processing portion 623 and the contents synchronization processing portion 624 is recorded in a recording medium such as a CD-ROM, stored in the recording device such as a magnetic disk and  
5 then loaded into the memory so that the program can be executed. Incidentally, the medium used for recording the program may be another recording medium such as a DVD or a DAT than the CD-ROM.

Fig. 7 is a flow chart showing a processing  
10 procedure in a method for setting up contents in the contents storage device 130 at the time of user's purchase of contents in the system having the contents management device 110, the license management device 120, the contents storage device 130 and the terminal  
15 units150 according to this embodiment.

First, the contents management processing portion 621 of each terminal unit 150 sends a contents purchase request to the contents management device 110 (step 700). Contents designated by the request are  
20 specified on the basis of contents identification information. The contents management processing portion 221 of the contents management device 110 acquires merchandise information of the contents from merchandise management table data 1300 by using the  
25 contents identification information sent in the step 700 (step 701). The acquired merchandise information includes selling prices, etc. In the step 701, an account processing request is given to the contents

account processing portion 224 in concurrence with the processing for acquiring merchandise information of the contents. Unless the contents account processing portion 224 completes the contents account processing  
5 for the user wanting to purchase the contents, the current position of the procedure does not go to the next step. When the contents account processing succeeds, the current position of the procedure goes to step 702. Incidentally, whether cash account or credit  
10 account is used can be decided according to a business method of each businessman.

Then, the license management device 120 performs processing for registering the license of the contents requested by the contents management device  
15 110 (step 702). That is, in the step 702, the license management device 120 acquires numbers such as a user ID and a contents ID from the contents management device 110 and registers the license of the contents requested to be purchased in the step 701, in the user-  
20 based license management DB 331 of the license management device 120. The result of the license registration processing in the step 702 is sent to the contents management device 110 (step 703). On this occasion, the license is registered if the registration  
25 processing succeeds, but the license is not registered if the registration processing fails.

Then, the contents management device 110 makes a judgment on the basis of the license

registration result as reply processing in the step 703  
as to whether the license registration succeeds or not  
(step 704). When the license registration succeeds,  
the contents management device 110 gives a contents  
5 setup request to the contents storage device 130 (step  
705). On the other hand, when the license registration  
fails, the contents are not registered and a notice of  
the failure in the license registration is sent to the  
terminal unit (step 714).

10           Then, the contents storage device 130  
requests the license management device 120 to collate  
the license as to whether the user purchasing the  
contents is licensed to use the contents requested to  
be set up by the contents management device 110 or not  
15 (step 706). The license management device 120 collates  
the license in accordance with the license collation  
request (step 707) and replies by the collation result  
to the contents storage device 130 (step 708).

          Then, the contents storage device 130 makes a  
20 judgment on the basis of the collation result sent back  
from the license management device 120 as to whether  
collation succeeds or not, that is, whether the user  
purchasing the contents is licensed to use the contents  
requested to be set up or not (step 709). When  
25 collation succeeds, contents setup processing is  
performed (step 710). When collation fails,  
information indicating the failure in collation and  
incompletion of the contents setup processing is sent

back to the contents management device 110 (step 711). Although the current position of the procedure goes to the step 711 regardless of whether collation succeeds or not, information sent back to the contents  
5 management device 110 in the step 711 varies according to the collation result.

The contents management device 110 makes a judgment on the basis of the contents setup result sent back from the contents storage device 130 as to whether  
10 the contents are set up or not (step 712). When the contents are set up, the contents management device 110 registers the contents (step 713). If a decision is made in the step 712 that the contents are not registered, it is necessary to invalidate the account  
15 processing carried out in the step 701. Accordingly, not use of cash account processing but use of credit account processing in the step 701 is efficient.

Then, the contents management device 110 sends a registration status indicating whether the  
20 contents are registered or not, back to the terminal unit 150. The terminal unit 150 performs contents purchase result processing on the basis of the result sent back (step 715).

Fig. 8 is a flow chart showing a procedure in  
25 contents deletion processing of the contents storage device 130 at the time of collection or purchase of contents from a user, in the system having the contents management device 110, the license management device

120, the contents storage device 130 and the terminal units 150.

First, the contents management processing portion 621 of each terminal unit 150 sends a request  
5 of purchase/collection of contents held by the user, to the contents management processing portion 221 of the contents management device 110 (step 800). The contents are specified on the basis of contents identification information. Then, the contents  
10 management processing portion 221 of the contents management device 110 acquires attribute information of contents held by the user from the contents management DB 231 and the license management DB 232 by using the contents identification information sent from the  
15 terminal unit 150 in the step 800 (step 801). When the user and the contents are verified, the current position of the procedure goes to step 802.

Then, the license management device 120 performs license deletion processing for the contents  
20 requested by the contents management device 110 (step 802). That is, on this occasion, the license management device 120 acquires numbers such as a user ID and a contents ID from the contents management device 110 and deletes the license of the contents from  
25 the user-based license management DB 331 of the license management device 120. The result of the deletion processing is sent back to the contents management device 110 (step 803). The contents management device

110 makes a judgment on the basis of the sent deletion result as to whether the deletion processing succeeds or not (step 804). When the license deletion processing succeeds, the contents management device 110  
5 sends a contents deletion request to the contents storage device 130 (step 805). When the license deletion processing fails, the license is not deleted but a contents status indicating the failure in the deletion processing is sent back to the terminal unit  
10 150 (step 810).

When a decision is made in the step 804 that the license deletion processing succeeds, the contents management device 110 requests the contents storage device 130 to delete contents corresponding to the  
15 license deleted by the license management device 120 (step 805). The contents storage processing portion 421 of the contents storage device 130 deletes the contents in accordance with the contents deletion request received (step 806). When the contents  
20 deletion processing fails, the deletion processing is repeated by a predetermined number of times. This is because repetition of the deletion processing till success causes instability of the system.

The contents storage device 130 sends a  
25 result of the contents deletion processing in the step 806 back to the contents management device 110 (step 807).

The contents management device 110 performs

incentive point addition/contents version upgrade  
processing for the user issuing the contents  
purchase/collection request, on the basis of the result  
sent back from the contents storage device 130 (step  
5 809). On this occasion, when the license deletion  
fails, incentive point addition processing is not  
performed. Incidentally, the incentive points may be  
given to the user so that the user can purchase digital  
contents for the added incentive points but the digital  
10 contents purchased for the incentive points cannot be  
sold but can be collected from the user. The contents  
version upgrade processing is a processing in which the  
version of contents can be upgraded at a special price  
lower than the ordinary price.

15               Then, the contents management device 110  
sends a current contents status back to the terminal  
unit 150 (step 810). The terminal unit 150 performs  
processing for displaying the result of  
collection/purchase of the contents requested by the  
20 user and storing information concerning  
collection/purchase of the contents on the basis of the  
result sent back (step 811).

Fig. 9 is a flow chart showing a processing  
procedure in an individual contents download method  
25 used in the system having the license management device  
120, the contents storage device 130 and the terminal  
units 150.

First, the contents management processing

portion 621 of each terminal unit 150 sends a request to the contents storage device 130 to download contents from the contents storage device 130 (step 900). Then, the contents storage processing portion 421 of the  
5 contents storage device 130 retrieves the designated contents stored in the contents storage DB 431 of the contents storage device 130 on the basis of contents identification information sent in the step 900 (step 901) and judges whether the contents are stored in the  
10 contents storage DB 431 of the contents storage device or not (step 902).

When a decision is made that the contents are stored in the contents storage DB 431, the contents storage device 130 sends a request to the license  
15 management device 120 to collate the license (step 903). Incidentally, license collation in the step 903 may be performed in the contents storage device 130 if the contents storage device 130 can perform the same processing as the license management device 120.

20 The license management device 120 collates the license in accordance with the license collation request issued in the step 903 (step 904). A result of collation is sent back to the contents storage device 130 (step 905).

25 The contents storage device 130 makes a judgment on the basis of the license collation result sent back from the license management device 120 as to whether collation succeeds or not (step 906). When



collation succeeds, the use-restricted contents generation processing portion 423 of the contents storage device 130 generates use-restricted contents (step 907). When collation fails, information  
5 indicating failure in collation and incompleteness of contents setup is sent back to the terminal unit 150 (step 908). Although the current position of the procedure goes to the step 908 regardless of whether collation succeeds or not, information sent back to the  
10 terminal unit 150 varies according to the collation result. Then, the terminal unit 150 performs processing for displaying the result of the contents download request and storing the result (step 909).

Fig. 10 is a flow chart showing a processing  
15 procedure in a batch contents download method used in the system having the contents management device 110, the license management device 120, the contents synchronization device 140 and the terminal units 150.

The contents management processing portion  
20 621 of each terminal unit 150 sends a request to the contents synchronization device 140 to download contents by batch processing (step 1000).

Incidentally, the contents to be downloaded by batch processing are selected by the user and specified by  
25 the contents synchronization device 140 before the batch download processing. The term "synchronization" means the user's action made to the contents synchronization device 140, in which action the user

selects contents to be downloaded to the terminal unit 150 so that the latest contents (e.g., news contents or latest reports) can be downloaded when batch download is required.

5               Then, the contents synchronization device 140 sends an acquisition request to the contents storage device 130 to acquire contents not cached in the contents synchronization device 140 from the contents list selected by the user in advance (step 1001). In  
10 the step 1001, the contents are specified on the basis of the contents identification information.

              Then, the contents storage processing portion 421 of the contents storage device 130 retrieves the designated contents stored in the contents storage DB  
15 431 of the contents storage device 130 on the basis of the contents identification information sent in the step 1001 (step 1002) and judges whether the contents are stored or not (step 1003). When the contents are stored in the contents storage DB 431, the contents  
20 storage device 130 sends a license collation request to the license management device 120 to check whether the contents are licensed or not (step 1004).

              Incidentally, license collation may be performed in the contents storage device 130 if the contents storage  
25 device 130 can perform the same processing as the license management device 120.

              The license management device 120 collates the license in accordance with the license collation

request sent from the contents storage device 130 (step 1005). A result of license collation is sent back to the contents storage device 130 (step 1006).

The contents storage device 130 makes a judgment on the basis of the information of the license collation result sent back from the license management device 120 as to whether license collation succeeds or not (step 1007). When license collation succeeds, the use-restricted contents generation processing portion 423 of the contents storage device 130 generates use-restricted contents (step 1008). When license collation fails, information indicating failure in collation and incompleteness of contents generation is sent back to the contents synchronization device 140 (step 1009). Although the current position of the procedure goes to the step 1009 regardless of whether collation succeeds or not, information sent back to the contents synchronization device 140 varies according to the collation result.

When the contents requested by the user are generated in the step 1008, a result indicating completion of generation of the requested contents is generated and sent back to the contents synchronization device 140 (step 1009). The contents synchronization device 140 judges whether all the contents requested by the user have been already acquired or not (step 1010). When all the contents have been not acquired yet, the current position of the procedure goes back to the

contents acquisition request processing (step 1001) to  
acquire remaining contents. On the other hand, when  
all the requested contents have been already acquired,  
the contents synchronization device 140 performs  
5 contents synchronization processing (step 1011). In  
the step 1011, batch contents download is performed  
while the contents synchronization processing portion  
523 of the contents synchronization device 140  
cooperates with the contents synchronization processing  
10 portion 624 of the terminal unit 150 to intend data  
synchronization.

Finally, the terminal unit 150 checks whether  
all the contents requested by the user have been  
already downloaded (i.e., synchronization processing  
15 has been already performed) or not (step 1012).

Fig. 11 is a view showing a user-based  
license transfer management table which is a data table  
for managing the number of licenses collected from each  
user, the number of licenses purchased from each user  
20 and the number of incentive points given to each user  
and which is stored in the user-based license  
management DB 331 in this embodiment. The user-based  
license transfer management table 1100 has, as data  
items, user ID 1101, number of collected licenses 1102,  
25 number of purchased licenses 1103, and number of  
incentive points 1104.

The user ID 1101 is a number unique in this  
system for identifying each user. The number of

collected licenses 1102 and the number of purchased licenses 1103 are accounted numbers of licenses collected and purchased by the contents management device 110 from each user. The number of incentive  
5 points 1140 is a number of points added when each user returns licenses without paying any fee (i.e., the contents management device 110 collects licenses from each user) or when each user sells licenses (i.e., the contents management device 110 purchases licenses from  
10 each user). Further, each user can purchase new contents or upgrade the version of contents by using the incentive points.

Fig. 12 is a view showing a transaction management table which is provided for managing  
15 processing concerning sale, collection and purchase of contents and which is stored in the license management DB 432 of the contents storage device 130. The transaction management table 1200 has, as data items, transaction ID 1201, user ID 1202, contents ID 1203,  
20 license type 1204, transaction flag 1205, and date of transaction 1206.

The transaction ID 1201 is a number unique in this system for identifying each transaction in the transaction management table. The user ID 1202 is a  
25 number for identifying each user. The contents ID 1203 is a number for identifying contents. The user ID 1202 and the contents ID 1203 as well as the transaction ID 1201 are numbers unique in this system. The license

type 1204 indicates the license type of contents. For example, the license type 1204 indicates the audiovisual/playback term such as an indefinite term, a half year, etc. The transaction flag 1205 indicates  
5 which of license collection, license purchase and use of points was performed as each transaction. When the flag has a value of zero, the flag indicates that the transaction performed was ordinary sale. When the flag has a value of 1, the flag indicates that the  
10 transaction performed was collection. When the flag has a value of 2, the flag indicates that the transaction was purchase. When the flag has a value of 3, the flag indicates that the transaction was use of points. The date of transaction 1206 indicates the  
15 date when the transaction was performed.

Fig. 13 is a view showing a merchandise management table indicating licenses of contents and selling prices of the licenses.

The merchandise management table 1300 is  
20 stored in the contents storage DB 431 of the contents storage device 130. The merchandise management table 1300 has, as data items, contents ID 1301, license type 1302, version 1303, selling price 1304, purchasing price 1305, purchase point 1306, collection point 1307,  
25 and validated date of price 1308.

The contents ID 130 is a number for identifying contents to be sold. Each user selects the contents ID and trades contents. The license type 1302

indicates the license type of contents. For example,  
the license type 1302 indicates a audiovisual/playback  
term such as an indefinite term, a half year, etc. The  
version 1303 indicates the version of contents. The  
5 selling price 1304 indicates a price used for selling  
contents. The purchasing price 1305 indicates a price  
for purchasing contents from each user. In collection  
of contents from each user, incentive points called  
collection point 1307 are prepared in consideration of  
10 the user's benefit because contents are received from  
the user without a fee. The validated date of price  
1308 indicates the validated date of the selling price  
1304 and the purchasing price 1305. The validated date  
of price 1308 may be used as the validated date of the  
15 purchase point 1306 and the collection point 1307.

As described above, in the digital contents  
license and incentive point management system according  
to this embodiment, licenses of digital contents can be  
recycled because digital contents license sale is  
20 performed in such a manner that unnecessary one of  
licenses of contents available on the market is  
collected or purchased from each user and incentive  
such as issuing of new licenses or addition of points  
is given to the user as an owner of the license on the  
25 basis of user information, contents information, or the  
like, picked up from the license.

In addition, user's convenience can be  
improved because licenses (rights of audiovisual

display/playback) of sold digital contents can be collected or purchased from each user and because other digital contents or upgraded version digital contents can be sold at special prices to the user or incentive  
5 points can be given to the user. Accordingly, unnecessary digital contents on digital contents distributing business can be recycled.

Incidentally, digital contents licensed up to the expiration date for use must be originally kept at  
10 hand of the user purchasing the digital contents. It may be however hardly said that audiovisual display/playback of digital contents with only one of diversified apparatuses large in number is convenient to the user. To improve user's convenience, it is  
15 necessary that digital contents can be downloaded anywhere at any time for audiovisual display/playback if the apparatus used has been already registered and can be connected to a network. This can be achieved when the license and the body of digital contents are  
20 managed by a contents management system (contents management server) on the network. The user having rights of audiovisual display of digital contents can download the digital contents in an expiration date-set state for use of audiovisual display/playback as  
25 occasion demands. This is generally called network archive service of digital contents (see the contents archive service site in Fig. 1).

The point of difference of the network



archive service used in the invention from the ordinary archive service is that the expiration date for use of audiovisual display/playback is set in the downloaded digital contents. Because the expiration date for use  
5 of audiovisual display/playback is set, audiovisual display/playback can be disabled when a predetermined term has passed after download of the contents to a plurality of apparatuses. This makes it possible to download digital contents to a plurality of apparatuses  
10 possessed by each user and collect or purchase the licenses of the digital contents from each user. Because digital contents can be downloaded for audiovisual display/playback at any time when audiovisual display/playback is required, user's  
15 convenience is not worsened.

The user using the network archive service has the following convenience. Even in the case where an apparatus possessed by the user breaks down, there is no fear that digital contents purchased by the user  
20 may vanish because the purchased digital contents are present on the site. Accordingly, the digital contents purchased by the user can be accessed and downloaded by the user at any time safely.

A personal digital assistant (PDA) may be one  
25 of apparatuses possessed by the user. It cannot be said that the data storage capacity of the PDA is large compared with that of a general PC. The way of downloading digital contents necessary for audiovisual

display/playback as occasion demands is convenient to the user.

According to the invention, in digital contents license sale, licenses available on the market  
5 can be collected or purchased from each user, so that licenses of digital contents can be recycled.

It should be further understood by those skilled in the art that although the foregoing description has been made on embodiments of the  
10 invention, the invention is not limited thereto and various changes and modifications may be made without departing from the spirit of the invention and the scope of the appended claims.